



Phillips A C, Boghaert ER, Vaidya KS, Falls HD, Mitten MJ, DeVries PJ., ... & Buchanan FG. (2018) Characterization of ABBV-221, a Tumor-Selective EGFR Targeting Antibody Drug Conjugate. Mol Cancer Thera, molcanther-0710. [Quantum Simply Cellular, quantitation of EGFR density]

Andreev J, Thambi N, Perez Bay AE, Delfino F, Martin J, Kelly M... Thurston G. (2017) *Bispecific Antibodies and Antibody–Drug Conjugates* (ADCs) *Bridging HER2 and Prolactin Receptor Improve Efficacy of HER2 ADCs.* Mol Cancer Ther. (16)(4) 681-693. [Quantum MESF PE, quantitation of PRLR & HER2 Ab binding to HEK293 cells; Simply Cellular, determination of Ab F:P ratio]

Phillips A, Boghaert E, Vaidya K, Mitten M, Norvell S, Falls H, ...Reilly A (2016) ABT-414, an Antibody–Drug Conjugate Targeting a Tumor-Selective EGFR Epitope Mol Cancer Ther 15(4)661-669 [Quantum Simply Cellular, quantitation of EGFR density]

Quadrini KJ, Hegelund AC, Cortes KE, Xue C, Kennelly SM, Ji H, Högerkorp C-M, Mc Closky TW. (2016) *Validation of a flow cytometry-based assay to assess C5aR receptor occupancy on neutrophils and monocytes for use in drug development.* Cytometry B Clin Cytom; 90B:177-190. [Quantum MESF, quantitation of ADC binding to target]

Rhoden J J, Dyas G L, & Wroblewski VJ. (2016) A modeling and experimental investigation of the effects of antigen density, binding affinity, and antigen expression ratio on bispecific antibody binding to cell surface targets. J of Biol. Chem, jbc-M116. [Quantum Simply Cellular, MET & EGFR quantitation]

Panke C, Weininger D, Haas A, Schelter F, Schlothauer T, Bader S, ... & Mundigl O. (2013) Quantification of cell surface proteins with bispecific antibodies. Protein Eng, Design & Sel, 26(10), 645-654. [Simply Celllar, determination of Ab F:P ratio]

Tillotson B, Cho YK, Shusta E, (2013) Cells and Cell Lysates: A Direct Approach for Engineering Antibodies Against Membrane Proteins Using Yeast Surface Display Methods 60(1)27–37 [Quantum Simply Cellular, scFv quantitation]

Wyant T, Lackey A, Green M. (2008) Validation of a flow cytometry based chemokine internalization assay for use in evaluating the pharmacodynamic response to a receptor agonist. J Transl Med; 6:76. [Quantum MESF, instrument set-up & internalization assay quantitation]